


Using domain keys


The Jumpeye framework domain keys are simple hash ids generated for a specific domain where the website created with the framework will be hosted. The framework works properly without these domain keys, but it will display a watermark at the top of the page. When using these domain keys, the watermark will be turned off. To get such a domain key you must purchase a Jumpeye framework domain.

1. On the Jumpeye framework site, on the Prices page (<http://www.jumpeye.com/prices.html>) select one of the two domain licenses available and press the Buy now button:

- *10 domains* – the websites created with the framework can be hosted on up to 10 Internet domains without displaying the watermark;
- *100 domains* – the websites created with the framework can be hosted on up to 100 Internet domains without displaying the watermark.




A blue rectangular card with white text. At the top, '10 domains' is written in a large font. Below it, there are two radio button options: 'Non-commercial \$49' (selected) and 'Commercial \$79'. At the bottom, there is a yellow 'Add to cart' button and the price '\$7.9 / domain'.



An orange rectangular card with white text. At the top, '100 domains' is written in a large font. Below it, there are two radio button options: 'Non-commercial \$79 (\$149)' (selected) and 'Commercial \$99 (\$199)'. At the bottom, there is a yellow 'Add to cart' button and the price '\$0.99 / domain'.

2. Next, you'll be taken to the JumpeyeComponents.com shopping cart where you'll be able to apply a discount coupon, if you have one. Once the purchase is completed, you'll be prompted to go to the Downloads page in your JumpeyeComponents.com account.

3. If you haven't signed in to your JumpeyeComponents.com account, you'll be prompted to do so. Once you logged in, you will be able to access the Jumpeye framework domains from the *My Jumpeye Framework domains* menu, on the right side of the site.



4. In the *My Jumpeye Framework domains* page you can add an Internet domain where your website created with the framework will be hosted and copy the generated hash id for that particular domain. Now you can set the `domainKey` property in your main HTML file calling the `JC.init()` JavaScript function. If you plan to display your web content on multiple domains (for example using iframes), you can also set the `domainKey` property with a list of domain keys separated by commas.

Usage

```
<script type="text/javascript">
  (function() {
    JC.init({
      domainKey: '7bc0e8853e7855fbc6e9c260b15b005'
    });
  })();
</script>
```

5. Finally upload the website to the Internet domain for which you retrieved the hash id and the watermark should be turned off.

Note: If you would like to use Jumpeye framework on subdomains of the main domain you specified, please contact us at support@jumpeyecomponents.com.